

SLIT LAMP MICROSCOPE











Slit Lamp Microscope

Description

This Slit Lamp adopts CANON 1300D digital camera with which allows to take very detailed part the patient eye.

Its professional software system includes high definition video function (MOV format), doctors can record, play, capture image from the video via software directly any time you want during playing.

The SLR digital Camera adopts AC power to supply the power. It does not need battery. This function is very convenient for doctors for using.



Technical Data

- High Definition Integrated System. Professional Software. Joystick Handle.
- *This Product Must Be Connected with Computer.
- Optical System: Slm-2 Based
- Digital System: 3.0m Max. Pixels Resolution
- Image Capture Card
- Professional Image Software

Specifications

• Type	Parallel Galilean
• Eyepiece	12.5X
 Total Magnification 	6X, 10X, 16X, 25X, 40X
• Diameter of Visual Field	Φ 37, Φ 23, Φ 14, Φ 8.7, Φ 5.7mm
 Diopter Adjustment 	+5D5D

• Slit Width	0mm-14mmcontinuously adjustable
• Slit Height	1mm-14mmcontinuously adjustable
• Aperture Diameter	Φ 14, Φ 10, Φ 5, Φ 3, Φ 2, Φ 1, Φ 0.2mm

 Slit Angle 	0° -180°
511C7 111G1C	0 100

• Illumination Tilting 0°,	5°,	10°	, 15°	, 20°
----------------------------	-----	-----	-------	-------

 Filter Heat absorption, grey, redfree(green), cobalt blue
--

• Input Voltage 110V/220V 60/50Hz

• Input Power 60VA

Illumination Bulb led lampFixation Red LED





MUSEUM HILL CENTRE, MUSEUM ROAD P.O. BOX 75534 00200 NAIROBI, KENYA Tel: 0720 714 337

Tel: 0720 714 337 Email: info@medsurgehealth.co.ke Web: www.medsurgehealth.co.ke

