

SNELLEN CHART (I-CHART HD SMART)













Snellen Chart (I-Chart HD Smart)

Features:

- Polarized chart for binocular test
- 23-inch high contrast and bright display
- Smooth and quiet operation
- Wireless Remote control
- Wide range of test types
- Precise distance adjustment
- Easy mounting
- Random test sequence



<p>COPYRIGHT</p>	<p>COPY RIGHT: Software are all developed by the team from Taiwan. No copy right issue</p>		<p>Polarizing Function Optical Polarization Glass Panel Polarizing test Double eye balance test</p>
	<p>Red & Green Deepness adjustment</p>		<p>ETDRS</p>
	<p>Supports Smaller Rooms Working distance:2-6m (0.25m/step)</p>		<p>Mirror display function.</p>
	<p>Color Blind ISHIHARA Test</p>		<p>Placement 1.Wall Mount 2.On the table</p>

Specifications

- | | |
|--------------------------------|---|
| • Display | :23" LED(color)High resolution monitor |
| • Brightness | :250 cd/m ² ; |
| • Chart versions | : E,C ABC, 123,Child, Special version chart |
| • Chart acuity | :6/3-6/150 20/10-20/500 0.04-2.0 |
| • Distance | :2.0~7.0m |
| • Power supply:Input | :AC110-220V AC+/-10%,50/60Hz |
| • Power consumption | :≤36W |
| • Dimension | :531mm(W)x 394mm(H)X121mm(D) |
| • Weight | :3.8KG(Net weight) |
| • Remote | :IR |
| • Batteries for remote control | :3A |



MUSEUM HILL CENTRE, MUSEUM ROAD
P.O. BOX 75534 00200
NAIROBI, KENYA
Tel: 0720 714 337
Email: info@medsurgehealth.co.ke
Web: www.medsurgehealth.co.ke